Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S41	57	(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4 with (delay\$3 or time\$1 or timing\$1)) and (path\$1 with (delay\$4 or time\$1 or timing\$1)) and (data adj signal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 10:36
S42	209	((((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) same (delay\$3 or time\$1 or timing\$1)) and (data adj signal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 10:33
S43	96	(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4 with (delay\$3 or time\$1 or timing\$1)) and (data adj signal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 13:04
S44	16	(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4 with (delay\$3 or ((propagat\$5 or travel\$1 or transit) near time\$1))) and (data adj signal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 07:55
S46	5	agere.as. and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and delay\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 13:02
S47		STROUD-CHARLES-EUGENE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 13:02
S48	30	STROUD-CHARLES-E	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 13:03
S49	47	ABRAMOVICI-MIRON	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 13:03
S50	31	ABRAMOVICI-M	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÓN	2006/11/20 13:03

S51	14	S48 and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 13:59
S52	17	S49 and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 13:47
S53	12	S50 and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 13:46
S54	5	S47 and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 13:34
S56	4	S48 and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with delay\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 14:23
S57	11	(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with bist\$1) and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with delay\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 14:31
S58	230	(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with delay\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 15:49
S59	59	(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with delay\$2) and (path\$1 with test\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 07:00
S60	9	(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with delay\$2) and (path\$1 with test\$4) and (output\$1 near2 response\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 07:23

			·	_		
S61	25	(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with delay\$2) and (circuit\$1 with test\$4) and (output\$1 adj response\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 07:30
S62	14	(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with test\$4) and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with (delay\$2 or time\$1 or timing)) and (output\$1 adj response\$1 adj analyzer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 07:36
S63	37	(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with (test\$4 or detect\$4 or measur\$6) with (delay\$3 or ((propagat\$5 or travel\$1 or transit) near time\$1))) and (data adj signal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 16:53
S64	122	(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with (test\$4 or detect\$4 or measur\$6) with (delay\$3 or ((propagat\$5 or travel\$1 or transit) near time\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 12:53
S65	122	(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with (test\$4 or detect\$4 or measur\$6) with (delay\$3 or ((propagat\$5 or travel\$1 or transit) near2 time\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 10:04
S66	30	(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with (test\$4 or detect\$4 or measur\$6) with (delay\$3 or ((propagat\$5 or travel\$1 or transit) near time\$1))) and (lut\$1 or (lookup adj table\$1) or (look adj up adj table\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 16:47
S67		(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with (test\$4 or detect\$4 or measur\$6) with (delay\$3 or ((propagat\$5 or travel\$1 or transit) near time\$1))) and (slow and fast)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 13:44
S68	49	(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with (test\$4 or detect\$4 or measur\$6) with (delay\$3 or ((propagat\$5 or travel\$1 or transit) near time\$1))) and (short and long)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 13:45

S69	0	(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with (test\$4 or detect\$4 or measur\$6) with (delay\$3 or ((propagat\$5 or travel\$1 or transit) near time\$1))) and (bit or bits) and (carryin or (carry adj in))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 13:50
S70	47	(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with (test\$4 or detect\$4 or measur\$6) with (delay\$3 or ((propagat\$5 or travel\$1 or transit) near time\$1))) and (count or counts or counter\$1 or counting) and oscillat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 13:50
S71	17	(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with (test\$4 or detect\$4 or measur\$6) with (delay\$3 or ((propagat\$5 or travel\$1 or transit) near time\$1))) and (lut\$1 or (lookup adj table\$1) or (look adj up adj table\$1)) and address\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 16:53
S72	10	(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with (test\$4 or detect\$4 or measur\$6) with (delay\$3 or ((propagat\$5 or travel\$1 or transit) near time\$1))) and (output adj response\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 17:05
S73	4	(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with (test\$4 or detect\$4 or measur\$6) with (delay\$3 or ((propagat\$5 or travel\$1 or transit) near time\$1))) and ((output adj response\$1) same (count or counts or counter\$1 or counting) same oscillat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 16:56
S74	.3	(((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with (test\$4 or detect\$4 or measur\$6) with (delay\$3 or ((propagat\$5 or travel\$1 or transit) near time\$1))) and ((vertical\$4 adj selftest\$4) or (vertical\$3 adj self adj test\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 17:06
S75	0	702/117.ccls and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with (test\$4 or detect\$4 or measur\$6) with (delay\$3 or ((propagat\$5 or travel\$1 or transit) near2 time\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 17:51

				•		
S76	0	702/90.ccls and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with (test\$4 or detect\$4 or measur\$6) with (delay\$3 or ((propagat\$5 or travel\$1 or transit) near2 time\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 17:51
S77	0	702/108.ccls and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with (test\$4 or detect\$4 or measur\$6) with (delay\$3 or ((propagat\$5 or travel\$1 or transit) near2 time\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 17:51
S78	3171	(324/500,512,527,535,537).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/21 17:51
S79	1	S78 and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with (test\$4 or detect\$4 or measur\$6) with (delay\$3 or ((propagat\$5 or travel\$1 or transit) near2 time\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 17:52
S80	3562	(714/733-736,738).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/21 17:52
S81		S80 and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with (test\$4 or detect\$4 or measur\$6) with (delay\$3 or ((propagat\$5 or travel\$1 or transit) near2 time\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 17:52
S82	0	702/120.ccls and (((field adj program\$7 adj gate\$1 adj array) or fpga\$1) with (test\$4 or detect\$4 or measur\$6) with (delay\$3 or ((propagat\$5 or travel\$1 or transit) near2 time\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	ON	2006/11/21 17:53